

FREIGHTLOK

LASHING & SHORING SOLUTIONS

FreightLok Lashing

FreightLok Shoring

LOADLOK
CLEVER IN CARGO CONTROL

MEMBER OF  CARGO
CONTROL
COMPANY

LEADING CARGO CONTROL SOLUTIONS

Here in Hirwaun (Wales, UK), at the heart of our business, is where our world's leading cargo control solutions are designed, developed and manufactured. **True craftsmanship** combined with **state-of-the-art technologies**. Creating tailored solutions for customers for the ultimate efficient solution that fulfills their requirements.



TAILOR MADE SOLUTIONS

With market and application demands varying greatly, LoadLok's product offering goes far beyond its standard solutions. If you have **specific requirements** which are not in the standard product line, we are able to **customise or develop** custom-designed solutions (for both mechanical and textile load securing equipment), tailored to the specific needs.



CARGO CONTROL ESSENTIALS

LoadLok has all the load securing essentials for transport companies, the **building blocks** for cargo control. Whatever cargo you need to secure, we offer a solution that can do the job!

FREIGHTLOK LASHING

As part of our FreightLok range ratchet straps are used to secure cargo in transport. Together with other lashing accessories they **prevent cargo from sliding, roll around, tip over or even fall off** the trailer. We offer a diverse range of lashing straps varying between 5.000daN for heavy duty cargo down to 175daN cam buckle straps for light duty cargo in different widths such as 25mm, 35mm and 50mm.



FREIGHTLOK SHORING

Quick and efficient cargo shoring with a full range of FreightLok shoring products for all applications – lightweight to heavy duty. Easy to assemble and disassemble. Our FreightLok Shoring Poles, Cargo Planks, Kargo Keepers and Beams come in zinc plated, mild steel and aluminum. Your requirements and our clever solutions always produce the best cargo control solutions.




TIE DOWN OR DIRECT LASHING...?

Common methods for load securing with lashing straps are friction (tie down) lashing and direct lashing. What method do you need in which situation? And what kind of values do you need in your lashing calculation.



STF OR LC?

Different properties of the equipment are used for the calculations. Where the STF value is used to create extra downwards force resulting in extra friction when tying down loads, the LC value is used for Direct Lashing. When tying down loads on flatbed- or curtainsider trailers, the LC value of a lashing is of lesser importance and the STF value shall be used. The higher the STF value per lashing, the higher the friction force, resulting in fewer straps necessary to secure the load.



LASHING LABEL EXPLANATION

The layout of this label is in accordance with the European norm (EN 12195-2) and can be used as a document to show the authorities or your customers. It is important to know that without this label attached to a strap (or if it is unreadable), you are not allowed to use the strap in any way(!).

LOADLOK
CLEVER IN CARGO CONTROL

Cargo Control Company
Oudewei 4
4004 LS Tiel
THE NETHERLANDS

A MANUFACTURERS INFO

C PRODUCTION DATE: Herstelldatum: NOV-2023 LC 2500 daN

D WEBBING MATERIAL: Polyester PES PA-Nr.: LL-1628542

F ELONGATION %: Dehnung max. 5% EN 12195-2

B LASHING CAPACITY IN daN

E TRACEABILITY CODE

G EUROPEAN NORM

LOADLOK
CLEVER IN CARGO CONTROL

MEMBER OF **GS** CARGO CONTROL COMPANY

1 MANUFACTURERS NAME & ADDRESS: The Cargo Control Company B.V.
Oudewei 4, 4004 LS TIEL

2 PRODUCTION DATE: Herstelldatum: NOV-2023

3 WEBBING MATERIAL: Polyester PES PA-Nr.: LL-1628542

4 TRACEABILITY CODE

5 ELONGATION %: Dehnung max. 5% EN 12195-2

6 EUROPEAN NORM

7 LASHING CAPACITY IN daN (dekanewton): LC 2500 daN

8 NOT FOR LIFTING! Darf nicht zum Heben verwendet werden!

9 TOTAL LENGTH: LG: 9,00m

10 LENGTH LOOSE END: LaL: 8,60m

11 LENGTH FIXED END: LaF: 0,40m

12 GS LOGO

FREIGHTLOK

LASHING SYSTEMS



**DISCOVER FREIGHTLOK
IN ANIMATION!**

▶ EUROPEAN MANUFACTURER

We are proud to be a European manufacturer, with production facilities in Poland and Wales (UK), delivering competitive products of the **highest quality, with maximum flexibility**, just-in-time across Europe.

The combination of in-house product development and manufacturing offers the highest level of flexibility in our industry and makes us the perfect partner in cargo control.

▶ CUSTOMISATIONS

Our line-up stretches far beyond the standard range. We believe that by producing customised variations of products, specifically optimised in length, ratchet, hook and print, we can help our customers greatly **improve the handling** of our products in use.

▶ **15.000.000 COMBINATIONS**

▶ **EN 12195-2 COMPLY**

▶ **TESTED & CERTIFIED**

LASHING SYSTEMS




**FREIGHTLOK
25MM**




**FREIGHTLOK
35MM**



**FREIGHTLOK
50MM**



**FREIGHTLOK
ACCESSORIES**



▶ **PRINTING & COLOURS**

We're committed to deliver ratchet straps that are tailored to your needs. With our unique printing abilities, we can print **your logo or text** on webbing from any size or colour. Even customized labels are among the possibilities.

- **Reduce the risk of theft**
- **Unique publicity of your brand**
- **Professional look**

▶ **+15.000.000 COMBINATIONS**

We offer more than 15.000.000 (!) different combinations of lashing straps.

We have a wide selection of **ratchets, buckles, hooks, protector sleeves, rings, lengths, colours** etc. Customize your type of strap for the application required.

You name it, we produce it.



25 MM LASHING SYSTEMS

▶ 803 CAM BUCKLE STRAP



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10012795 | 803 | Endless | 3 | Orange | 350 | 700 | N/A |
| 10012796 | 803 | Endless | 5 | Orange | 350 | 700 | N/A |
| 10012797 | 803 | Endless | 7 | Orange | 350 | 700 | N/A |
| Custom | 803 | Customizable | Customizable | Customizable | 350 | 700 | N/A |

▶ 804 CAM BUCKLE STRAP



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10012798 | 804 | Endless | 0,5 | Orange | 250 | 500 | N/A |
| 10012799 | 804 | Endless | 1 | Orange | 250 | 500 | N/A |
| 10012800 | 804 | Endless | 1,5 | Orange | 250 | 500 | N/A |
| Custom | 804 | Customizable | Customizable | Customizable | 250 | 500 | N/A |

▶ 906 RATCHET



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10012801 | 906 | 1002 | 3 | Orange | 400 | 800 | 165 |
| 10012802 | 906 | 1002 | 5 | Orange | 400 | 800 | 165 |
| 10012803 | 906 | 1002 | 7 | Orange | 400 | 800 | 165 |
| Custom | 906 | Customizable | Customizable | Customizable | N/A | N/A | N/A |

▶ 909 RATCHET



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10012805 | 909 | 1002 | 3 | Orange | 750 | 1500 | 255 |
| 10012806 | 909 | 1002 | 5 | Orange | 750 | 1500 | 255 |
| 10012807 | 909 | 1002 | 7 | Orange | 750 | 1500 | 255 |
| Custom | 909 | Customizable | Customizable | Customizable | N/A | N/A | N/A |

35 MM LASHING SYSTEMS

▶ 917 RATCHET



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|-------------------|------------------------|----------------------|-----------|
| 10012813 | 917 | 1004 | 6 | Orange | 1000 | 2000 | 270 |
| Custom | 917 | Customizable | Customizable | Blue, orange, red | N/A | N/A | N/A |

▶ 908 RATCHET



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10012814 | 908 | 1004 | 6 | Orange | 1500 | 3000 | N/A |
| 10012797 | 908 | 1004 | 8 | Orange | 1500 | 3000 | N/A |
| Custom | 908 | Customizable | Customizable | Customizable | N/A | N/A | N/A |



▶ RATCHET STRAPS FOR CAR AND TRUCK TRANSPORT

Discover our extensive selection of top-quality ratchet straps designed for professional car and truck distribution. Our products are engineered for effortless handling and exceptional performance.

Ask our team of load securing specialists for more information.

50 MM LASHING SYSTEMS

811E RATCHET - LC 2000 DAN | STF 320 DAN



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10013618 | 811E | 1006 | 8 | Blue | 2000 | 4000 | 320 |
| 10013619 | 811E | 1006 | 9 | Blue | 2000 | 4000 | 320 |
| 10013620 | 811E | 1006 | 10 | Blue | 2000 | 4000 | 320 |
| Custom | 811E | Customizable | Customizable | Customizable | N/A | N/A | N/A |

811B RATCHET - LC 2500 DAN | STF 350 DAN



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10013621 | 811B | 1006 | 8 | Red | 2500 | 5000 | 350 |
| 10013622 | 811B | 1006 | 9 | Red | 2500 | 5000 | 350 |
| 10013623 | 811B | 1006 | 10 | Red | 2500 | 5000 | 350 |
| Custom | 811B | Customizable | Customizable | Customizable | N/A | N/A | N/A |

919 ERGO RATCHET - LC 2500 DAN | STF 500 DAN



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10013624 | 919 | 1006 | 8 | Red | 2500 | 5000 | 500 |
| 10013625 | 919 | 1006 | 9 | Red | 2500 | 5000 | 500 |
| 10013626 | 919 | 1006 | 10 | Red | 2500 | 5000 | 500 |
| Custom | 919 | Customizable | Customizable | Customizable | N/A | N/A | N/A |

919S ERGO RATCHET - LC 2500 DAN | STF 600 DAN



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10016816 | 919S | 1006 | 8 | Red | 2500 | 5000 | 600 |
| 10016812 | 919S | 1006 | 9 | Red | 2500 | 5000 | 600 |
| 10016813 | 919S | 1006 | 10 | Red | 2500 | 5000 | 600 |
| Custom | 919S | Customizable | Customizable | Customizable | N/A | N/A | N/A |

919O ERGO RATCHET - LC 2500 DAN | STF 900 DAN



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10016814 | 919O | 1006 | 8 | Red | 2500 | 5000 | 900 |
| 10015246 | 919O | 1006 | 9 | Red | 2500 | 5000 | 900 |
| 10016815 | 919O | 1006 | 10 | Red | 2500 | 5000 | 900 |
| Custom | 919O | Customizable | Customizable | Customizable | N/A | N/A | N/A |

916 RATCHET - LC 1000 DAN | STF 260 DAN



| ARTICLE NO. | TENSIONER | FITTING | LENGTH (M) | COLOUR | LASHING CAPACITY (daN) | BREAK-STRENGTH (daN) | STF (daN) |
|-------------|-----------|--------------|--------------|--------------|------------------------|----------------------|-----------|
| 10010967 | 916 | 1826 | 3,5 | Blue | 1000 | 2000 | 260 |
| 10012819 | 916 | 1826 | 4 | Orange | 1000 | 2000 | 260 |
| 10012820 | 916 | 1826 | 6 | Orange | 1000 | 2000 | 260 |
| Custom | 916 | Customizable | Customizable | Blue, Orange | 1000 | 2000 | 260 |



ECONOMIC FOR BUSINESS, ERGONOMIC FOR DRIVER

The 919 Ergo Ratchet has a STF which is significantly higher than the 811 Ratchet. The STF value is used **to create extra downwards force** resulting in extra friction when tying down loads. The higher the STF value per lashing, the higher the friction force, resulting in fewer straps necessary to secure the load. The longer handle allows the driver to apply **more force** to the lashing strap **without extra effort.**


CORNER PROTECTORS

▶ CORNER PROTECTOR 2200



| ARTICLE NO. | TYPE | COLOR | SIZE (MM) | MATERIAL |
|-------------|------|-------|-----------|----------|
| 10009892 | 2200 | Black | 90x90x130 | Plastic |
| 14003387 | 2200 | White | 90x90x130 | Plastic |

▶ CORNER PROTECTOR 2203



| ARTICLE NO. | TYPE | COLOR | SIZE (MM) | MATERIAL |
|-------------|------|-------|--------------|----------|
| 14000723 | 2203 | Black | 180x130x2400 | Plastic |

▶ CORNER PROTECTOR 2204



| ARTICLE NO. | TYPE | COLOR | SIZE (MM) | MATERIAL |
|-------------|------|-------|-------------|----------|
| 14000724 | 2204 | Black | 160x200x140 | Plastic |

FRICTION MATERIALS

▶ VULKANISED RUBBER



| ARTICLE NO. | LENGTH (MM) | WIDTH (MM) | THICKNESS (MM) | FRICTION VALUE |
|-------------|-------------|------------|----------------|----------------|
| 14000853 | 200 | 100 | 2,5 | 0,6 |
| 14000855 | 200 | 300 | 2,5 | 0,6 |

▶ GRANULATE



| ARTICLE NO. | LENGTH (MM) | WIDTH (MM) | THICKNESS (MM) | FRICTION VALUE |
|-------------|-------------|------------|----------------|----------------|
| 14000857 | 200 | 300 | 8 | 0,6 |
| 14002788 | 5000 | 250 | 8 | 0,6 |



▶ INCREASE FRICTION & LIFESPAN

Although underestimated, lashing accessories are **essential** in your load securing plan. Securing a load in the right way is essential for **safe transport**.

Friction materials help to increase the friction significantly. Supported with corner protectors and lashing materials it ensures that the cargo can't move. And it **increases the lifespan** of your lashing straps!

FREIGHTLOK

SHORING SYSTEMS

▶ 30 YEARS OF EXPERIENCE

We have been around in the cargo control industry for more than 3 decades. Our story began in Rotterdam harbour. Over the decades we have seen our business grow, making us the market leader in **cutting edge cargo control solutions**. The preferred supplier to the European transport industry, with 9 sales offices and 2 Centres of Excellence throughout Europe.

▶ R&D FOR INNOVATIVE SOLUTIONS

Our factory in Hirwaun, Wales, focuses on the **design, development, and manufacture** of steel and aluminium products. This is the central hub of our design engineering activities for the company, where we have a highly experienced team of engineers.



**DISCOVER FREIGHTLOK
IN ANIMATION!**

▶ **HIGH QUALITY**

▶ **HIGH PERFORMANCE**

▶ **CERTIFIED PRODUCTS**

SHORING SYSTEMS




**FREIGHTLOK
BEAMS**



**FREIGHTLOK
SHORING POLES**



**FREIGHTLOK
KARGO KEEPERS**



**FREIGHTLOK
CARGO PLANKS**



CREATING THE ULTIMATE SOLUTION

We believe in providing the ultimate solution for our valued customers. Every customer has unique requirements when it comes to shoring solutions. That is why we offer a **comprehensive customization service**, allowing you to tailor your shoring solution exactly to your needs. With options to customize the working range, engraving, finishing, and many more - you can create a shoring solution that is truly one-of-a-kind.

TESTING & CERTIFICATION

Our shoring solutions undergo extensive testing procedures to verify their strength, durability, and load capacity. These tests **simulate real-world conditions** to ensure our shoring solutions can withstand the demanding challenges of transportation.

When you choose LoadLok, you are choosing shoring solutions that have been thoroughly tested and certified.



BEAMS & SHORING POLES

› FREIGHTLOK 1839 BEAM - COMBI HOLE TRACKS



| ARTICLE NO. | PRODUCT | MATERIAL | FINISHING | WORKING RANGE (MM) | LC DECKING (daN) | LC SHORING (daN) |
|-------------|----------|----------|----------------|--------------------|------------------|------------------|
| 10014602 | 1839 | Aluminum | Non-Anodized | 2400 -2700 | 1000 | 900 |
| 10008758 | 1839HD | Aluminum | Anodized | 2400 -2700 | 1350 | 1125 |
| Custom | 1839(HD) | Aluminum | (Non) Anodized | Customizable | N/A | N/A |

› FREIGHTLOK 1839HDSEC BEAM - COMBI HOLE TRACKS



| ARTICLE NO. | PRODUCT | MATERIAL | FINISHING | WORKING RANGE (MM) | LC DECKING (daN) | LC SHORING (daN) |
|-------------|-----------------------|----------|---------------|--------------------|------------------|------------------|
| 10011334 | 1839HDSEC Red (3009) | Aluminum | Anodized | 2400 -2700 | 0 | 2000 |
| 10011342 | 1839HDSEC Blue (3008) | Aluminum | Anodized | 2400 -2700 | 0 | 2000 |
| Custom | 1839HDSEC | Aluminum | (Non)Anodized | Customizable | 0 | 2000 |

› FREIGHTLOK 1839 GTS BEAM - GTS PANELS



| ARTICLE NO. | PRODUCT | MATERIAL | FINISHING | WORKING RANGE (MM) | LC DECKING (daN) | LC SHORING (daN) |
|-------------|----------|----------|---------------|--------------------|------------------|------------------|
| 10014922 | 1839 GTS | Aluminum | Anodized | 2410 -2670 | 1000 | 900 |
| Custom | 1839 GTS | Aluminum | (Non)Anodized | Customizable | 1000 | 900 |

› FREIGHTLOK 1808 - ALUMINIUM / ROUND (ADJUSTABLE)



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | PLUG DIAMETER (MM) | BLOCKING CAPACITY (daN) |
|-------------|-----------|--------------|--------------------|----------------------|--------------------|-------------------------|
| 10008712 | Aluminium | No finishing | 2235-2670 | 45 | 24 | 275* |
| Custom | Aluminium | No finishing | Customizable | 45 | 19, 24 | 275* |

SHORING POLES

› FREIGHTLOK 1811 - STEEL / ROUND (ADJUSTABLE)



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | PLUG DIAMETER (MM) | BLOCKING CAPACITY (daN) |
|-------------|-----------------|-------------|--------------------|----------------------|--------------------|-------------------------|
| 14001410 | Steel | Zinc Plated | 2000-2485 | 42 | 24 | 350 |
| 14001411 | Steel | Zinc Plated | 2410-2845 | 42 | 24 | 350 |
| 10009828 | Steel | Zinc Plated | 2400-2870 | 42 | Multiplug | 200* |
| Custom | Steel, Aluminum | Zinc Plated | Customizable | 36, 42 | 19, 24 | 350 |

› FREIGHTLOK 1812 - SQUARE (ADJUSTABLE)



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | PLUG DIAMETER (MM) | BLOCKING CAPACITY (daN) |
|------------------------|-----------------|--------------|--------------------|----------------------|--------------------|-------------------------|
| 10011311 - No handle | Steel | Zinc Plated | 2250-2650 | 50 | 24 | 450* |
| 14001566 - With handle | Aluminum | No finishing | 2250-2650 | 50 | 24 | 275* |
| Custom | Steel, Aluminum | Zinc Plated | Customizable | 40, 50 | 19, 24 | 450 |

› FREIGHTLOK 2818 - HYS / ROUND (SHORTENABLE)



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | PLUG DIAMETER (MM) | BLOCKING CAPACITY (daN) |
|-------------|-----------------|--------------------------------|--------------------|----------------------|--------------------|-------------------------|
| 10014541 | Steel | Zinc Plated | 2520-2595 | 34,8 | 19 | 150* |
| Custom | Steel, Aluminum | Zinc Plated, Red TPE, Blue TPE | 3000 | 34,8 | 19, 24 | 150 |

› FREIGHTLOK 1810 - STEEL / ROUND (SHORTENABLE)



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | PLUG DIAMETER (MM) | BLOCKING CAPACITY (daN) |
|-------------|----------|-------------|--------------------|----------------------|--------------------|-------------------------|
| 10008716 | Steel | Zinc Plated | 3000 | 42 | 24 | 350* |

* According to the VDI norm

KARGO KEEPERS

› FREIGHTLOK 1888 – WITH MEMORY



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | END PIECES (MM) | LOAD CAPACITY (daN) |
|-------------|----------|---------------|--------------------|----------------------|-----------------|---------------------|
| 10013280 | Aluminum | Powder Coated | 1850 - 2250 | 52,5 | Feet/Feet | 150 |
| 10013355 | Aluminum | Powder Coated | 2200 - 2850 | 52,5 | Feet/Feet | 150 |
| 10013371 | Aluminum | Powder Coated | 2800 - 3440 | 52,5 | Feet/Feet | 150 |
| Custom | Aluminum | Powder Coated | Customizable | 52,5 | Customizable | 150 |

› FREIGHTLOK 1867 (HD)



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | END PIECES (MM) | LOAD CAPACITY (daN) |
|-------------|----------|-----------|--------------------|----------------------|-------------------------|---------------------|
| 10008729 | Aluminum | Anodized | 2350 - 2720 | 38 | Feet/Feet | 50 |
| 11060560 | Aluminum | Anodized | 2350 - 2720 | 42 | Feet/Feet | 50 |
| Custom | Aluminum | Anodized | Customizable | 38, 42 | 19, 24, 19/24 Multiplug | 50 |

› FREIGHTLOK 1867 - MULTIHEIGHT



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | END PIECES (MM) | LOAD CAPACITY (daN) |
|-------------|----------|-----------|--------------------|----------------------|-----------------|---------------------|
| 14004486 | Aluminum | Anodized | 2260 - 3110 | 42 | Feet/Plug | 200 |
| 14004485 | Aluminum | Anodized | 2260 - 3110 | 42 | Feet/Feet | 200 |

› FREIGHTLOK 1871 – EXENTER



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | END PIECES (MM) | LOAD CAPACITY (daN) |
|-------------|----------|-----------|--------------------|----------------------|-----------------|---------------------|
| 14001503 | Steel | N/A | 1880 - 2850 | 35 | Feet/Feet | 200 |

CARGO PLANKS

› FREIGHTLOK 1850 - ALUMINUM



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | BLOCKING CAPACITY (DAN) | CERTIFICATION |
|-------------|----------|--------------|--------------------|----------------------|-------------------------|---------------|
| 10008725 | Aluminum | No finishing | 2400 - 2700 | 30,5 x 124 | 300 | DEKRA |

› FREIGHTLOK 1857 - ALUMINUM



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | BLOCKING CAPACITY (DAN) | CERTIFICATION |
|-------------|----------|--------------|--------------------|----------------------|-------------------------|---------------|
| 10010497 | Aluminum | No finishing | 2400 - 2700 | 30,5 x 124 | 400 | TÜV |

› FREIGHTLOK 1854 - STEEL



| ARTICLE NO. | MATERIAL | FINISHING | WORKING RANGE (MM) | OUTER TUBE SIZE (MM) | BLOCKING CAPACITY (DAN) | CERTIFICATION |
|-------------|----------|-------------|--------------------|----------------------|-------------------------|---------------|
| 14003014 | Steel | Zinc Plated | 1920 - 2720 | 40 | 200 | N/A |

› ACCESSORIES FOR SHORING

Enhance your shoring products with our range of accessories, including **handles**, various **end plugs**, **cargo hoops**, and **anti-theft system**. Contact our dedicated load securing specialists to discover our complete selection of shoring accessories.



LOADLOK NETHERLANDS

Oudewei 4,
4004 LS Tiel
+31 (0) 344 - 670 950 / sales@loadlok.com

LOADLOK GERMANY

Stadtwall 7
48683 Ahaus
+49 (0) 2561 95886-0 / info@loadlok.de

SARL LOADLOK FRANCE

39, Rue des Granges Galand,
37550 Saint-Avertin
+33 (0) 2 47 73 86 50 / info@loadlok.fr

LOADLOK POLSKA Sp. z.o.o.

05-220 Zielonka,
ul. Polna 23
+48 (0) 227710001 / info@loadlok.com.pl

LOADLOK SPAIN S.L.

Pol. Ind. El Oliveral Calle H esquina Calle G,
46190 Riba-Roja de Turia, Valencia
+34 961 665 145 / spain@loadlok.com

LOADLOK ROLAND UK

Suite 12, Mercury Quays, Ashley Lane,
Shipley, BD17 7DB,
+44 (0) 1274 589 331 / salesuk@loadlok.com

LOADLOK ITALIA S.R.L.

Via Secondo Caselle, 2 – Z.I.Fontaneto,
10023 Chieri (Torino)
+39 011 9473210 / info@loadlok.it

LOADLOK BELGIUM BVBA

'4 Wings', Nijverheidsstraat 13,
2260 Westerlo
+32 38 08 20 50 / info@loadlok.be

LOADLOK SWEDEN AB

Lagervägen 28,
S-13650Jordbro
+46 (0) 8 500 109 60 / sales@loadlok.se

CARGO CONTROL COMPANY

Oudewei 4,
4004 LS Tiel
+31 (0) 344 - 670 950